

References

- Abruzzi, W. S. (1995). The social and ecological consequences of early cattle ranching in the Little Colorado River Basin. *Human Ecology*, 23(1), 75-98.
- Bhandari, B., Gillespie, J., & Scaglia, G. (2017). Labor use and profitability associated with pasture systems in grass-fed beef production. *Sustainable Agriculture Research*, 6(526-2017-2658).
- Brooks, T. M., Mittermeier, R. A., Mittermeier, C. G., Da Fonseca, G. A., Rylands, A. B., Konstant, W. R., ... & Hilton-Taylor, C. (2002). Habitat loss and extinction in the hotspots of biodiversity. *Conservation biology*, 16(4), 909-923.
- Capper, J. L. (2012). Is the grass always greener? Comparing the environmental impact of conventional, natural and grass-fed beef production systems. *Animals*, 2(2), 127-143.
- Cederberg, C., Persson, U. M., Neovius, K., Molander, S., & Clift, R. (2011). Including carbon emissions from deforestation in the carbon footprint of Brazilian beef.
- Clark, M., & Tilman, D. (2017). Comparative analysis of environmental impacts of agricultural production systems, agricultural input efficiency, and food choice. *Environmental Research Letters*, 12(6), 064016.
- De Vries, M., Van Middelaar, C., & De Boer, I. (2015). Comparing environmental impacts of beef production systems: A review of life cycle assessments. *Livestock Science*, 178, 279-288. doi:10.1016/j.livsci.2015.06.020
- Douglas, P., Robertson, S., Gay, R., Hansell, A. L., & Gant, T. W. (2018). A systematic review of the public health risks of bioaerosols from intensive farming. *International Journal of Hygiene and Environmental Health*, 221(2), 134–173.
<https://doi.org/10.1016/j.ijheh.2017.10.019>
- Fabry, V. J., Seibel, B. A., Feely, R. A., & Orr, J. C. (2008). Impacts of ocean acidification on marine fauna and ecosystem processes. *ICES Journal of Marine Science*, 65(3), 414-432.
- Franzluebbers, A. J., Paine, L. K., Winsten, J. R., Krome, M., Sanderson, M. A., Ogles, K., & Thompson, D. (2012). Well-managed grazing systems: A forgotten hero of conservation. *Journal of Soil and Water Conservation*, 67(4), 100A-104A.
- Gerber, P. J., Mottet, A., Opio, C. I., Falcucci, A., & Teillard, F. (2015). Environmental impacts of beef production: Review of challenges and perspectives for durability. *Meat Science*, 109, 2-12. doi:10.1016/j.meatsci.2015.05.013

- Gillespie, J. M., Wyatt, W., Venuto, B., Blouin, D., & Boucher, R. W. (2008). The roles of labor and profitability in choosing a grazing strategy for beef production in the US Gulf Coast region. *Journal of Agricultural and Applied Economics*, *40*(1379-2016-112690), 301-313.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., ... & Toulmin, C. (2010). Food security: the challenge of feeding 9 billion people. *Science*, *327*(5967), 812-818.
- Greger, M., & Koneswaran, G. (2010). The Public Health Impacts of Concentrated Animal Feeding Operations on Local Communities. *Family & Community Health*, *33*(1), 11–20. <https://doi.org/10.1097/fch.0b013e3181c4e22a>
- Guyader, J., Janzen, H. H., Kroebel, R., & Beauchemin, K. A. (2016). Forage use to improve environmental sustainability of ruminant production. *Journal of animal science*, *94*(8), 3147-3158.
- Hafla, A. N., MacAdam, J. W., & Soder, K. J. (2013). Sustainability of US organic beef and dairy production systems: Soil, plant and cattle interactions. *Sustainability*, *5*(7), 3009-3034.
- Halsby, K., Kirkbride, H., Walsh, A., Okereke, E., Brooks, T., Donati, M., & Morgan, D. (2017). The Epidemiology of Q Fever in England and Wales 2000–2015. *Veterinary Sciences*, *4*(4), 28. <https://doi.org/10.3390/vetsci4020028>
- Hönigová, I., Vačkář, D., Lorencová, E., Melichar, J., Götzl, M., Sonderegger, G., ... & Chobot, K. (2012). Survey on grassland ecosystem services. *Report to the EEA–European topic centre on biological diversity. Prague: Nature Conservation Agency of the Czech Republic*, 78.
- Hooper, D. U., Chapin Iii, F. S., Ewel, J. J., Hector, A., Inchausti, P., Lavorel, S., ... & Wardle, D. A. (2005). Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological monographs*, *75*(1), 3-35.
- Kirkhorn, S. R., & Garry, V. F. (2000). Agricultural lung diseases. *Environmental Health Perspectives*, *108*, 705. <https://doi.org/10.2307/3454407>
- Lupo, C. D., Clay, D. E., Benning, J. L., & Stone, J. J. (2013). Life-Cycle Assessment of the

- Beef Cattle Production System for the Northern Great Plains, USA. *Journal of Environmental Quality*, 42(5), 1386–1394. <https://doi.org/10.2134/jeq2013.03.0101>
- Mekonnen, M. M., & Hoekstra, A. Y. (2012). A global assessment of the water footprint of farm animal products. *Ecosystems*, 15(3), 401–415.
- Montes, F., Meinen, R., Dell, C., Rotz, A., Hristov, A. N., Oh, J., Dijkstra, J. (2013). SPECIAL TOPICS — Mitigation of methane and nitrous oxide emissions from animal operations: II. A review of manure management mitigation options. *Journal of Animal Science*, 91(11), 5070–5094. <https://doi.org/10.2527/jas.2013-6584>
- Muscutt, A. D., Harris, G. L., Bailey, S. W., & Davies, D. B. (1993). Buffer zones to improve water quality: a review of their potential use in UK agriculture. *Agriculture, ecosystems & environment*, 45(1-2), 59–77.
- Ndegwa, P. M., Hristov, A. N., Arogo, J., & Sheffield, R. E. (2008). A review of ammonia emission mitigation techniques for concentrated animal feeding operations. *Biosystems Engineering*, 100(4), 453–469. <https://doi.org/10.1016/j.biosystemseng.2008.05.010>
- Parnell CB Jr., Shaw BW, Auvermann BW (1999), Agricultural air quality fine particle project—Task 1: Live-stock-feedlot PM emission factors and emissions inventory estimates final report. Texas Natural Resource Conservation Commission. Department of Agricultural Engineering, Texas A & M University, College Station, TX
- Pelletier, N., Pirog, R., & Rasmussen, R. (2010). Comparative life cycle environmental impacts of three beef production strategies in the Upper Midwestern United States. *Agricultural Systems*, 103(6), 380–389. <https://doi.org/10.1016/j.agsy.2010.03.009>
- Phalan, B., Onial, M., Balmford, A., & Green, R. E. (2011). Reconciling food production and biodiversity conservation: land sharing and land sparing compared. *Science*, 333(6047), 1289–1291.
- Rahman, S., Borhan, M. S., & Swanson, K. (2013). Greenhouse gas emissions from beef cattle pen surfaces in North Dakota. *Environmental Technology*, 34(10), 1239–1246. <https://doi.org/10.1080/09593330.2012.743598>

- Rasmussen, P. E., Goulding, K. W., Brown, J. R., Grace, P. R., Janzen, H. H., & Körschens, M. (1998). Long-term agroecosystem experiments: assessing agricultural sustainability and global change. *Science*, *282*(5390), 893-896.
- Roque, B. M., Salwen, J. K., Kinley, R., & Kebreab, E. (2019). Inclusion of *Asparagopsis armata* in lactating dairy cows' diet reduces enteric methane emission by over 50 percent. *Journal of Cleaner Production*, *234*, 132-138.
- Rotz, C. A., Asem-Hiablie, S., Dillon, J., & Bonifacio, H. (2015). Cradle-to-farm gate environmental footprints of beef cattle production in Kansas, Oklahoma, and Texas. *Journal of Animal Science*, *93*(5), 2509–2519. <https://doi.org/10.2527/jas.2014-8809>
- Rotz, C. A., Isenberg, B. J., Stackhouse-Lawson, K. R., & Pollak, E. J. (2013). A simulation-based approach for evaluating and comparing the environmental footprints of beef production systems. *Journal of Animal Science*, *91*(11), 5427–5437. <https://doi.org/10.2527/jas.2013-6506>
- Schultz, A. A., Peppard, P., Gangnon, R. E., & Malecki, K. M. C. (2019). Residential proximity to concentrated animal feeding operations and allergic and respiratory disease. *Environment International*, *130*, 104911. <https://doi.org/10.1016/j.envint.2019.104911>
- Sitienei, I., Gillespie, J., & Scaglia, G. (2020). US Grass-Fed Beef Producers: Goal Structure and Reasons for Enterprise Selection. *Journal of Agricultural and Applied Economics*, *52*(1), 78-95.
- Soussana, J. F., Tallec, T., & Blanfort, V. (2010). Mitigating the greenhouse gas balance of ruminant production systems through carbon sequestration in grasslands. *Animal*, *4*(3), 334-350.
- Stackhouse-Lawson, K. R., Rotz, C. A., Oltjen, J. W., & Mitloehner, F. M. (2012). Carbon footprint and ammonia emissions of California beef production systems. *Journal of Animal Science*, *90*(12), 4641–4655. <https://doi.org/10.2527/jas.2011-4653>
- Tatsing Foka, F. E., & Ateba, C. N. (2019). Detection of Virulence Genes in Multidrug Resistant Enterococci Isolated from Feedlots Dairy and Beef Cattle: Implications for Human

Health and Food Safety. *BioMed Research International*, 2019, 1–13.

<https://doi.org/10.1155/2019/5921840>

Tichenor, N. E., Peters, C. J., Norris, G. A., Thoma, G., & Griffin, T. S. (2017). Life cycle environmental consequences of grass-fed and dairy beef production systems in the Northeastern United States. *Journal of cleaner production*, 142, 1619-1628.

Tilman, D., Fargione, J., Wolff, B., D'antonio, C., Dobson, A., Howarth, R., ... & Swackhamer, D. (2001). Forecasting agriculturally driven global environmental change. *Science*, 292(5515), 281-284.

United States Department of Agriculture. (2021). National Monthly Grass Fed Beef Report For The Month of March. Agricultural Marketing Service.

Vitousek, P. M., Aber, J. D., & Howarth, R. W. (1997). Technical report: human alteration of the global nitrogen cycle. *Ecol Appl*, 7, 737-50.

Von Essen, S. G., & Auvermann, B. W. (2005). Health Effects from Breathing Air Near CAFOs for Feeder Cattle or Hogs. *Journal of Agromedicine*, 10(4), 55–64.

https://doi.org/10.1300/j096v10n04_08